

I  
PER REVERTO



## NUOVO PALETTO PER PORTE

- > Dimensioni ridotte
- > Versione monolitica da 13 cm
- > Per profili freddi e a taglio termico

# N u o v o p a l e t t o p e r p o r t e



## Codici

### Paletto per porte



Art.	Descrizione	Pz.
1557/13	(brevettato) Paletto a leva cm 13 (corsa mm 22) in zama, puntale e 3 viti TS Ø 3,9x19 in acciaio inox.	
1557/20	Come 1557/13 ma lunghezza cm 20.	
1557/45	(brevettato) Paletto a leva cm 45 (corsa mm 22) in zama e alluminio, puntale e 5 viti TS Ø 3,9x19 in acciaio inox.	20
1557/65	(brevettato) Paletto a leva cm 65 (corsa mm 22) in zama e alluminio, puntale e 6 viti TS Ø 3,9x19 in acciaio inox.	

### Finiture disponibile per tutte le misure


B.SA = verniciato bianco satinato  
9005 = RAL verniciato nero

9010 = RAL verniciato bianco


9660 = argento verniciato a polvere

# Disegni tecnici


## Nuovo paletto per porte IPER REVERTO




1557/13



1557/20



1557/45



1557/65

# Adattabilità

Tabella di adattabilità ai principali profili italiani

ESTRUSORE	PROFILO	1557/13	1557/20	1557/45	1557/65
ALCOA	WIN54 Porte	●			
ALCOA	WIN62/TT Porte	●	●	●	●
ALCOA	WIN70TT Porte	●	●	●	●
ALL.CO	ALL.CO 5 Porte	●	●	●	●
ALL.CO	EXPORT 50/TT Porte	●	●	●	●
ALL.CO	SICURBLIND 65 complanare	●	●	●	●
ALMER	NC 50 I Porte	●	●	●	●
ALMER	SUPERBLINDO Porte	●	●	●	●
ALUMEC	SYNTHESIS 57 Porte	●	●	●	●
ALUPEX	GREEN Porte	●	●	●	●
ALUPEX	KEEPER 53/60 Porte	●	●	●	●
ALUPEX	KEEPER 61/68 Porte	●	●	●	●
ALUPEX	OPEN Porte	●	●	●	●
BODEGA	BGA 50 Porte	●	●	●	●
BODEGA	EXTRABLIND 70 Porte	●	●	●	●
CLL	TECNO 50 Porte	●	●	●	●
ETA	START 470 TT Porte	●	●	●	●
HYDRO	BREAK PA 52/63 Porte	●	●	●	●
HYDRO	BREAK PA 70/S Porte	●	●	●	●
HYDRO	DOMAL BRIGHT PA 70 S Porte	●	●	●	●
HYDRO	DOMAL INDOOR	●	●	●	●
HYDRO	DOMAL SECURITY	●	●	●	●
HYDRO	DOMAL SHOPS	●	●	●	●
HYDRO	DOMAL SPIDER 60	●	●	●	●
HYDRO	DOMAL SPIDER L60 style	●	●	●	●
HYDRO	DOMAL STOPPER PG 63 Porte	●	●	●	●
HYDRO	STOPPER PG Porte	●	●	●	●
IND.INVEST	GOLD 500/600 Porte	●	●	●	●
METRA	NC 45 INT./STH Porte	●	●	●	●
METRA	NC 50 I/STH Porte	●	●	●	●
METRA	NC 55 INT. PORTE	●	●	●	●
METRA	NC 58 MEDITERRANEO sorm. raggiato	●	●	●	●
METRA	NC 58 MEDITERRANEO sormonto	●	●	●	●
METRA	NC 65/68/72 STH Porte	●	●	●	●
METRA	SUPERBLINDO Porte	●	●	●	●
NOVAL SYSTEM	NOVAL TT 72 Porte	●	●	●	●
OCMA	SV 47/62 VETRINE	●	●	●	●
PASSERINI	EKIP THERMO 53 Porte	●	●	●	●
PASSERINI	MAASTRICHT 53 Porte	●	●	●	●
PASSERINI	MAASTRICHT TH 60/68 Porte	●	●	●	●
PASSERINI	VENICE TH16 Porte	●	●	●	●
PONZIO SUD	NEW TEC 50 PERSIANA RUSTICA	●	●	●	●
PONZIO SUD	NEW TEC 50 Porte	●	●	●	●
PONZIO SUD	NEW TEC 52 TT CLASSIC Porte/Porte	●	●	●	●
PONZIO SUD	NEW TEC 60 TT/68 TT Porte	●	●	●	●
PONZIO SUD	WINDSTOP 45/TT Porte	●	●	●	●
PONZIO SUD	WINDSTOP 55 TT Porte	●	●	●	●
PONZIO SUD	WINDSTOP 60/65 TT Porte	●	●	●	●
PROFILATI	EKU 53/64 TT/72 TT Porte	●	●	●	●
SCHUCO	ROYAL S 50 N Porte	●	●	●	●
SCHUCO	ROYAL S 65 AK Porte	●	●	●	●
SCHUCO	ROYAL S 65/70 Porte	●	●	●	●
SCHUCO	ROYAL S 70 F Porte	●	●	●	●
TO.MA.	ATLANTIS 55 TT/68 TT Porte	●	●	●	●



- DIN EN ISO 14001
- Certified Management System
- DIN EN ISO 9001

Savio S.p.A. Via Torino, 25 (S.S. 25)

10050 Chiusa S. Michele (TO) Italy

Tel.+39.011.964.34.64 - Fax+39.011.964.34.74

[www.savio.it](http://www.savio.it) - e-mail: [savio@savio.it](mailto:savio@savio.it)

**SAVIO**  
Qualità e innovazione  
per i serramenti